

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>7</sup> :</b> <b>C12N 15/12, 1/21, 15/63</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 00/55320</b> <b>(43) International Publication Date:</b> 21 September 2000 (21.09.00)
<b>(21) International Application Number:</b> PCT/US00/05989 <b>(22) International Filing Date:</b> 8 March 2000 (08.03.00)  <b>(30) Priority Data:</b> 60/124,270 12 March 1999 (12.03.99) US  <b>(71) Applicant (for all designated States except US):</b> HUMAN GENOME SCIENCES, INC. [US/US]; 9410 Key West Avenue, Rockville, MD 20850 (US).  <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> ROSEN, Craig, A. [US/US]; 22400 Rolling Hill Road, Laytonsville, MD 20882 (US). RUBEN, Steven, M. [US/US]; 18528 Heritage Hills Drive, Laytonsville, MD 20882 (US).  <b>(74) Agents:</b> WALES, Michele, M. et al.; Human Genome Sciences, Inc., 9410 Key West Avenue, Rockville, MD 20850 (US).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> HUMAN PANCREAS AND PANCREATIC CANCER ASSOCIATED GENE SEQUENCES AND POLYPEPTIDES  <b>(57) Abstract</b>  This invention relates to newly identified pancreas or pancreatic cancer related polynucleotides and the polypeptides encoded by these polynucleotides herein collectively known as "pancreatic cancer antigens", and to the complete gene sequences associated therewith and to the expression products thereof, as well as the use of such pancreatic cancer antigens for detection, prevention and treatment of disorders of the pancreas, particularly the presence of pancreatic cancer. This invention relates to the pancreatic cancer antigens as well as vectors, host cells, antibodies directed to pancreatic cancer antigens and recombinant and synthetic methods for producing the same. Also provided are diagnostic methods for diagnosing and treating, preventing and/or prognosing disorders related to the pancreas, including pancreatic cancer, and therapeutic methods for treating such disorders. The invention further relates to screening methods for identifying agonists and antagonists of pancreatic cancer antigens of the invention. The present invention further relates to methods and/or compositions for inhibiting the production and/or function of the polypeptides of the present invention.		

<222> (1370)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1400)

<223> n equals a,t,g, or c

<400> 171

```
gctgacccctg ggggagctgg agaaggggca gagtcagttc caggccctct gctttgtcac 60
ccagctgcag cacaatgaga tcatccccag tgrggccatg gccaaagctcc ggcagaaaaa 120
tccccgggca gtgcggcagg cggaggaggt tcggggtctg gagcatctgc acatggatgt 180
cgctgtcaac ttcagccagg gggccctgct gagcccccac ctccacaacg tgtgtgccga 240
ggccgtggat gccatctaca cccgccagga ggatgtccgg ttctggctgg agcaagggtg 300
ggacagttct gtgttcgagg ctctgccccaa ggcctcagag caggcggagc tgcctcgctg 360
caggcagggtg ggggaccgag ggaagccctg cgtctgccac tatggcctga gcctggcctg 420
gtacccctgc atgctcaagt actgccacag ccgcgaccgg cccacgccct acaagtggtg 480
catccgcagc tgccagaaga gctacagctt cgacttttac gtgccccaga ggcagctgtg 540
tctctgggat gaggatccct acccaggcta ggggtgggagc aacctggcgg gtggctgctc 600
tgggccctact gctcttcacc agccactaga gggggtggca accccacct gaggccttat 660
ttccctccct cccactccc ctggccctag agcctgggce cctctggccc catctcacat 720
gactgtgaag ggggtgtggc atggcagggg gtctcatgaa ggcacccccca ttcccacct 780
gtgccttctc tgccggcaga gaggagaga agggctcccc agatctacac ccctccctcc 840
tgcatctccc ctggagtgtt cacttgcaag ctgccaaaac atgatggcct ctggttgttc 900
tgttgaactc cttgaacgtt tagaccctaa aaggagtcta tacctggaca cccacctccc 960
cagacacaac tcccttcccc atgcacacat ctggaaggag ctggccctc agtcccttcc 1020
tactcccaa caaggggctc actatcccca aagaaggagc tgttggggac ccacgacgca 1080
gccctgtac tggattacag catattctca tctctggccc cgaggctgcc tggggggcga 1140
gtggagacct cccatcactg agacagatca cagaccacga gtgcctttcc cggacctgga 1200
cgttgcctcc agagcaggca ccagctcttt cctctcttag acagaaatat ttttgaagg 1260
ttctggggca gggagggagc atgaagtacg aggaaaactt gaattccaga tttttaatgc 1320
aaagtattta tcatttctac cagaaataaa cgttttaagt ttttacttgn aaaaaaaaaa 1380
aaaaaaaaaa aaaggggggn cg                                     1402
```

<210> 172

<211> 490

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (469)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (489)

<223> n equals a,t,g, or c

<400> 172

```
gcttccctct ggcaatggct cccttcagca cttctgcttt ccaactccaat tcacacagga 60
```

<220>  
<221> misc feature  
<222> (1536)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1537)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1551)  
<223> n equals a,t,g, or c

<400> 170  
gcgggcgtca actgtcggtc tcgcacgtct ctccctgagaa ctaccgagta ggtcgggcct 60  
gcctgtgagc aaacgaggcc cctgagagct ccacctagtt cacaggataa aatcccacag 120  
cagaactcgg agtcagcaat ggctaagccc cagggtggtg tagctcctgt attaatgtct 180  
aagctgtctg tgaatgcccc tgaattttac ccttcagggtt attcttccag ttacacagaa 240  
tcctatgagg atggttggtga ggattatcct actctatcag aatatgttca ggattttttg 300  
aatcatctta cagagcagcc tggcagtttt gaaactgaaa ttgaacagtt tgcagagacc 360  
ctgaatgggt gtgttacaac agatgatgct ttgcaagaac ttgtggaact catctatcaa 420  
caggccacat ctatcccaaaa tttctcttat atgggagctc gcctgtgtaa ttacctgtcc 480  
catcatctga caattagccc acagagtggc aacttccgcc aattgctact tcaaatgtgt 540  
cggactgaat atgaagttaa agatcaagct gcaaaagggg atgaagttac tcgaaaacga 600  
tttcatgcat ttgtactctt tctgggagaa ctttatctta acctggagat caagggaaca 660  
aatggacagg ttacaagagc agatattctt cagggttggtc ttcgagaatt gctgaatgcc 720  
ctgtttttct atcctatgga tgacaattta atttgtgcag taaaattgtt aaagttgaca 780  
ggatcagttt tggaagatgc ttggaaggaa aaaggaaaaga tggatatgga agaaattatt 840  
cagagaattg aaaacgttgt cctagatgca aactgcagta gagatgtaa acagatgctc 900  
ttgaagcttg tagaactccg gtcaagtaac tggggcagag tccatgcaac ttcaacatat 960  
agagaagcaa caccagaaaa tgatcctaac tactttatga atgaaccaac attttatata 1020  
tctgatgggt ttcctttcac tgcagctgat ccagattacc aagagaaata ccaagaatta 1080  
cttgaaagag aggacttttt tccagattat gaagaaaatg gaacagattt atccggggct 1140  
ggtgatccat acttggtatg tattgatgat gagatggacc cagagataga agaagcttat 1200  
gaaaagtttt gtttggatc agagcgtaag cgaaaacagt aaagttaaat ttcagcatat 1260  
cagttttata aagcagttta ggtatggtga tttagcagaa cacaagagag caagaaaatg 1320  
tgtcacatct ataccaaatt raggatgttg agttatgtta ctaatgtatg caactttaat 1380  
tttgtttaac actatctgcc aaaataaact ttattcccta taacttaaaa tgtgtatata 1440  
tatataatag tttattatgt acagttaatt ctactgtttt ggctgcaata aaatcgattt 1500  
tgaaataaat gaaatgttga aaattttaaa aaaaannnaaa aaaaactggc nggggggc 1558

<210> 171  
<211> 1402  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature

305						310						315					320
Phe	Tyr	Thr	Ser	Asp	Gly	Val	Pro	Phe	Thr	Ala	Ala	Asp	Pro	Asp	Tyr		
				325					330					335			
Gln	Glu	Lys	Tyr	Gln	Glu	Leu	Leu	Glu	Arg	Glu	Asp	Phe	Phe	Pro	Asp		
			340					345					350				
Tyr	Glu	Glu	Asn	Gly	Thr	Asp	Leu	Ser	Gly	Ala	Gly	Asp	Pro	Tyr	Leu		
		355					360					365					
Asp	Asp	Ile	Asp	Asp	Glu	Met	Asp	Pro	Glu	Ile	Glu	Glu	Ala	Tyr	Glu		
	370					375					380						
Lys	Phe	Cys	Leu	Glu	Ser	Glu	Arg	Lys	Arg	Lys	Gln						
385					390					395							

**<210> 630**

**<211> 189**

<212> PRT

<213> Homo sapiens

**<220>**

**<221> SITE**

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

**<400> 630**

Leu	Ile	Leu	Gly	Glu	Leu	Glu	Lys	Gly	Gln	Ser	Gln	Phe	Gln	Ala	Leu
1					5					10					15
Cys	Phe	Val	Thr	Gln	Leu	Gln	His	Asn	Glu	Ile	Ile	Pro	Ser	Xaa	Ala
			20					25					30		
Met	Ala	Lys	Leu	Arg	Gln	Lys	Asn	Pro	Arg	Ala	Val	Arg	Gln	Ala	Glu
		35					40					45			
Glu	Val	Arg	Gly	Leu	Glu	His	Leu	His	Met	Asp	Val	Ala	Val	Asn	Phe
	50					55					60				
Ser	Gln	Gly	Ala	Leu	Leu	Ser	Pro	His	Leu	His	Asn	Val	Cys	Ala	Glu
65					70					75					80
Ala	Val	Asp	Ala	Ile	Tyr	Thr	Arg	Gln	Glu	Asp	Val	Arg	Phe	Trp	Leu
				85					90					95	
Glu	Gln	Gly	Val	Asp	Ser	Ser	Val	Phe	Glu	Ala	Leu	Pro	Lys	Ala	Ser
			100					105					110		

Glu Gln Ala Glu Leu Pro Arg Cys Arg Gln Val Gly Asp Arg Gly Lys  
115 120 125  
Pro Cys Val Cys His Tyr Gly Leu Ser Leu Ala Trp Tyr Pro Cys Met  
130 135 140  
Leu Lys Tyr Cys His Ser Arg Asp Arg Pro Thr Pro Tyr Lys Cys Gly  
145 150 155 160  
Ile Arg Ser Cys Gln Lys Ser Tyr Ser Phe Asp Phe Tyr Val Pro Gln  
165 170 175  
Arg Gln Leu Cys Leu Trp Asp Glu Asp Pro Tyr Pro Gly  
180 185

<210> 631  
<211> 32  
<212> PRT  
<213> Homo sapiens

<400> 631  
Phe Pro Leu Ala Met Ala Pro Phe Ser Thr Ser Ala Phe His Ser Asn  
1 5 10 15  
Ser His Arg Arg Ile Ala Arg Thr Gln Gly Val Glu Val Ala Val Ser  
20 25 30

<210> 632  
<211> 144  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (17)  
<223> xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (31)  
<223> xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

*What Is Claimed Is:*

1. An isolated nucleic acid molecule comprising a polynucleotide having a nucleotide sequence at least 95% identical to a sequence selected from the group consisting of:
- 5 (a) a polynucleotide fragment of SEQ ID NO:X or a polynucleotide fragment of the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
- (b) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
- 10 (c) a polynucleotide encoding a polypeptide fragment of a polypeptide encoded by SEQ ID NO:X or a polypeptide fragment encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
- 15 (d) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y or a polypeptide domain encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
- (e) a polynucleotide encoding a polypeptide epitope of SEQ ID NO:Y or a polypeptide epitope encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
- 20 (f) a polynucleotide encoding a polypeptide of SEQ ID NO:Y or the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X, having biological activity;
- (g) a polynucleotide which is a variant of SEQ ID NO:X;
- 25 (h) a polynucleotide which is an allelic variant of SEQ ID NO:X;
- (i) a polynucleotide which encodes a species homologue of the SEQ ID NO:Y;
- (j) a polynucleotide capable of hybridizing under stringent conditions to any one of the polynucleotides specified in (a)-(i), wherein said polynucleotide does not hybridize under stringent conditions to a nucleic acid molecule having a nucleotide
- 30

10. The recombinant host cell of claim 9 comprising vector sequences.
11. An isolated polypeptide comprising an amino acid sequence at least  
5 95% identical to a sequence selected from the group consisting of:
- (a) a polypeptide fragment of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone;
  - (b) a polypeptide fragment of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone, having biological activity;
  - 10 (c) a polypeptide domain of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone;
  - (d) a polypeptide epitope of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone;
  - (e) a full length protein of SEQ ID NO:Y or of the sequence encoded by the  
15 cDNA included in the related cDNA clone;
  - (f) a variant of SEQ ID NO:Y;
  - (g) an allelic variant of SEQ ID NO:Y; or
  - (h) a species homologue of the SEQ ID NO:Y.
- 20 12. The isolated polypeptide of claim 11, wherein the full length protein comprises sequential amino acid deletions from either the C-terminus or the N-terminus.
13. An isolated antibody that binds specifically to the isolated polypeptide  
25 of claim 11.
14. A recombinant host cell that expresses the isolated polypeptide of claim 11.
- 30 15. A method of making an isolated polypeptide comprising:

21. The gene corresponding to the cDNA sequence of SEQ ID NO:Y.
22. A method of identifying an activity in a biological assay, wherein the method comprises:
- 5 (a) expressing SEQ ID NO:X in a cell;
- (b) isolating the supernatant;
- (c) detecting an activity in a biological assay; and
- (d) identifying the protein in the supernatant having the activity.
- 10 23. The product produced by the method of claim 20.



IPC 7	C12N15/11	C12N15/12	C12N15/62	C12N15/86	C12N5/10
	C07K14/47	C07K16/18	A61K31/713	C12Q1/68	G01N33/577
	G06F17/30				

According to International Patent Classification (IPC) or to both national classification and IPC

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K A61K C12Q G01N G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, BIOSIS, MEDLINE, WPI Data

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE EMBL [Online]  26 December 1999 (1999-12-26)  BIRREN B. ET AL: "Homo sapiens chromosome  11, clone RP11-707D17"  Database accession no. AC18997  XP002170377  nts. 20-1487</p> <p style="text-align: center;">---</p>	<p>2-4,  15-17,  21-26</p>
P,X	<p>WO 00 55320 A (HUMAN GENOME SCIENCES INC  ;ROSEN CRAIG A (US); RUBEN STEVEN M (US))  21 September 2000 (2000-09-21)  SEQ ID NOs.171 and 630  page 494; claim 19</p> <p style="text-align: center;">---</p>	<p>2-4,  15-27,  29-33</p>
A	<p>WO 93 16180 A (MAX PLANCK GESELLSCHAFT  ;UNI DEGLI STUDI G D ANNUNZIO C (IT))  19 August 1993 (1993-08-19)</p> <p style="text-align: center;">---</p> <p style="text-align: center;">-/--</p>	

☒ Patent family members are listed in annex.

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

28 June 2001

Date of mailing of the international search report

Name and mailing address of the ISA  
European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer \_\_\_\_\_

Blanco Urgoiti, B

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>ANISOWICZ A ET AL: "A NOVEL PROTEASE HOMOLOG DIFFERENTIALLY EXPRESSED IN BREAST AND OVARIAN CANCER" MOLECULAR MEDICINE,US,BLACKWELL SCIENCE, CAMBRIDGE, MA, vol. 2, no. 5, 1 September 1996 (1996-09-01), pages 624-636, XP002060076 ISSN: 1076-1551</p>	
A	<p>--- BERGSTROM DAVID E ET AL: "Regulatory Autonomy and Molecular Characterization of the Drosophila out at first Gene." GENETICS, vol. 139, no. 3, 1995, pages 1331-1346, XP001009906 ISSN: 0016-6731 cited in the application -----</p>	

## Information on patent family members

International Application No

PCT/US 01/00899

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 0055320 A	21-09-2000	AU 3395900 A	04-10-2000
		AU 3617600 A	04-10-2000
		AU 3617700 A	04-10-2000
		AU 3619400 A	04-10-2000
		AU 3619500 A	04-10-2000
		AU 3869400 A	04-10-2000
		WO 0055173 A	21-09-2000
		WO 0055350 A	21-09-2000
		WO 0055351 A	21-09-2000
		WO 0055180 A	21-09-2000
		WO 0055174 A	21-09-2000
WO 9316180 A	19-08-1993	IT 1254309 B	14-09-1995
		AU 3497893 A	03-09-1993
		CN 1076489 A	22-09-1993
		ZA 9301101 A	17-08-1994

**THIS PAGE BLANK (USPTO)**

~~Not a valid copy~~